

## Page 1 of 1

All amounts are calculated in domestic currency.

| All Vendors | PO ID PO36986 | Receipt Dates from 8/14/2017 to 8/14/2017 |
|-------------|---------------|---|
|             |               |   |

[illegible]


INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3342455

|  |  |   |  |
|--|--|---|--|
| <b>Ship From:</b><br>A. M. CASTLE & CO.<br>14001 ORANGE AVENUE<br>PARAMOUNT, CA 90723<br>USA | <b>Sold To:</b><br>DART AEROSPACE LTD<br>1270 ABERDEEN<br>HAWKESBURY, ON K6A 1K7<br>CA | <b>Ship To:</b><br>A. M. CASTLE & CO.<br>2150 ARGENTIA ROAD<br>MISSISSAUGA, ON<br>L5N 2K7 CAN | <b>Deliver To:</b><br>DART AEROSPACE LTD<br>1270 ABERDEEN<br>HAWKESBURY, ON<br>K6A 1K7<br>CA |
| <b>Date Shipped</b><br>28-JUL-17   | <b>F.O.B.</b><br>ORIGIN  | <b>Freight Terms</b><br>Prepaid   | <b>Carrier</b><br>ABF  |
|  |  | <b>BOL No</b><br>3342455-2  |  |

|                         |                                       |
|-------------------------|---------------------------------------|
| <b>Shipment Details</b> | <b>Final Destination Branch - TOR</b> |
|-------------------------|---------------------------------------|

| Order No  | Line No            | Item No   | Description   | Ordered Qty     | Invoice Qty                         |
|---|--------------------|---|---|-----------------|-------------------------------------|
| 4823222   | 2                  | 750616.MO   | 2.0000.PL.7075.T651.ALUMINUM.US1.48.5000.144.5000<br>CUT LENGTH TO 6 IN ( ) X 144.5 IN ( + .1250/- .0000 IN ) - ALUMINUM<br>PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 | 1.00 PCS        | 1.00 PCS                            |
| <b>Purchase Order No</b><br>36986   | <b>Part Number</b> |   |   |                 |                                     |
| <b>Details</b><br>ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY<br>ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S<br>Email P/s and certs to: clavoie@dataero.com<br>END USER: DART AEROSPACE<br>END USE: COMMERCIAL AIRCRAFT PARTS |                    |   |   |                 |                                     |
| <b>Delivery No.</b><br>121209172  | <b>Mill</b>        | <b>Heat Number</b><br> | <b>Mech Id</b>  | <b>PCS</b><br>1 | <b>Width (IN)</b>                   |
|   |                    |   |   |                 | <b>Length (IN)</b>                  |
|   |                    |   |   |                 | <b>Shipped Qty(LBS)</b><br>178.9857 |

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 27-JUL-2017 11:46:22 PM

INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:



These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.  
Date Printed: 27-JUL-2017 11:46:22 PM



**Constellium**



**CERTIFIED TEST REPORT**  
Constellium Rolled Products  
Ravenswood, LLC

S  
H  
I  
P  
T  
O


A M CASTLE & COMPANY

4175 ROYAL DRIVE  
KENNESAW GA  
30144  
US

S  
O  
L  
D  
T  
O

A M CASTLE

1420 KENSINGTON ROAD, SUITE 220  
OAK BROOK IL  
60523  
US

|  |      |                         |                                 |                                  |                                    |                                 |   |                            |  |         |  |
|--|------|-------------------------|---------------------------------|----------------------------------|------------------------------------|---------------------------------|---|----------------------------|--|---------|--|
| A M CASTLE                                       |      | 110539776               |                                 | 4075                             |                                    | INCLUSION                       |   | Serial:20170527-0110539776 |  | Pg 1of3 |  |
| CUSTOMER PURCHASE ORDER NO. & ITEM<br>420822     |      |                         |                                 |                                  |                                    | Constellium ORDER NO.<br>204509 |   |                            |  |         |  |
| ALLOY<br>7075                                    | CLAD | TEMPER<br>T651          | GAUGE<br>2.00000 in<br>50.80 mm | WIDTH<br>48.50000 in<br>1,232 mm | LENGTH<br>144.50000 in<br>3,670 mm |                                 | <b>CERTIFICATION</b><br>"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."<br>Constellium Rolled Products Ravenswood, LLC<br>859 Century Road<br>P.O. BOX 68<br>RAVENSWOOD, WV 26164 USA<br><br><br>Steve Good - Laboratory Manager |                            |  |         |  |
| ITEM ORDERED<br>SPEC PLATE, SAWED<br>MILL FINISH |      |                         |                                 |                                  |                                    |                                 |   |                            |  |         |  |
| CUSTOMER SPECIFICATION<br>AMS QQ-A-250/12A       |      |                         |                                 |                                  |                                    |                                 |   |                            |  |         |  |
| PART NUMBER<br>750616                            |      | B/L NUMBER<br>81380     |                                 | DATE SHIPPED<br>05/29/2017       |                                    |                                 |   |                            |  |         |  |
| WT. SHIPPED<br>7175.000 LB                       |      | NO. OF PIECES<br>000005 |                                 | GOVT. CONTRACT NO.               |                                    |                                 |   |                            |  |         |  |

**ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:**

ASTM B594 REV 13 2013 100% SONIC W/ 0.125"DEADZONE Class A  
 AMS 4045K  
 AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE  
 ASTM B209-14  
 BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE  
 CMMPO25 REV U  
 CST1006 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE  
 DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE  
 GAMPS 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE  
 PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

17/08/25

**Load Details**

| Package    | Net Lbs   | Kg      | Lot     | Piece | Serial | Parent Lot |
|------------|-----------|---------|---------|-------|--------|------------|
| 1001519601 | 1,443.000 | 654.533 | 9388505 | 01    |        |            |
| 1001519601 | 1,442.000 | 654.080 | 9388505 | 02    |        |            |
| 1001524140 | 1,430.000 | 648.637 | 9388506 | 01    |        |            |
| 1001524140 | 1,430.000 | 648.637 | 9388506 | 02    |        |            |
| 1001524140 | 1,430.000 | 648.637 | 9388506 | 03    |        |            |

**Lot: 9388505**

**Tensile - Room Temperature (US)**

|           |       | Ultimate (KSI) |      | Yield (KSI) |      | Elongation (%) |      | Report |
|-----------|-------|----------------|------|-------------|------|----------------|------|--------|
| Direction | Tests | Min            | Max  | Min         | Max  | Min            | Max  |        |
| LT        | 02    | 82.5           | 82.7 | 72.5        | 72.9 | 13.0           | 13.0 |        |



# CERTIFIED TEST REPORT

Constellium Rolled Products  
Ravenswood, LLC

S  
H  
I  
P  
T  
O


A M CASTLE & COMPANY

4175 ROYAL DRIVE  
KENNESAW GA  
30144  
US

S  
O  
L  
D  
T  
O

A M CASTLE

1420 KENSINGTON ROAD, SUITE 220  
OAK BROOK IL  
60523  
US

|  |      |                         |                                 |                                  |                                    |   |  |                            |  |         |  |
|--|------|-------------------------|---------------------------------|----------------------------------|------------------------------------|---|--|----------------------------|--|---------|--|
| A M CASTLE                                       |      | 110539776               |                                 | 4075                             |                                    | INCLUSION   |  | Serial:20170527-0110539776 |  | Pg 2of3 |  |
| CUSTOMER PURCHASE ORDER NO. & ITEM<br>420822     |      |                         |                                 |                                  |                                    | Constellium ORDER NO.<br>204509   |  |                            |  |         |  |
| ALLOY<br>7075                                    | CLAD | TEMPER<br>T651          | GAUGE<br>2.00000 in<br>50.80 mm | WIDTH<br>48.50000 in<br>1,232 mm | LENGTH<br>144.50000 in<br>3,670 mm | <b>CERTIFICATION</b><br>"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."<br>Constellium Rolled Products Ravenswood, LLC<br>859 Century Road<br>P.O. BOX 68<br>RAVENSWOOD, WV 26164 USA<br><br><br>Steve Good - Laboratory Manager |  |                            |  |         |  |
| ITEM ORDERED<br>SPEC PLATE, SAWED<br>MILL FINISH |      |                         |                                 |                                  |                                    |   |  |                            |  |         |  |
| CUSTOMER SPECIFICATION<br>AMS QQ-A-250/12A       |      |                         |                                 |                                  |                                    |   |  |                            |  |         |  |
| PART NUMBER<br>750616                            |      | B/L NUMBER<br>81380     |                                 | DATE SHIPPED<br>05/29/2017       |                                    |   |  |                            |  |         |  |
| WT. SHIPPED<br>7175.000 LB                       |      | NO. OF PIECES<br>000005 |                                 | GOVT. CONTRACT NO.               |                                    |   |  |                            |  |         |  |

## Tensile - Room Temperature (SI)

|           |       | Ultimate (N/MM2) |     | Yield (N/MM2) |     | Elongation (%) |      | Report |
|-----------|-------|------------------|-----|---------------|-----|----------------|------|--------|
| Direction | Tests | Min              | Max | Min           | Max | Min            | Max  |        |
| LT        | 02    | 569              | 570 | 500           | 503 | 13.0           | 13.0 |        |

## Chemistry (Actual)

|      | SI   | FE   | CU   | MN   | MG   | CR   | ZN   | TI   | ZR   |
|------|------|------|------|------|------|------|------|------|------|
| Core | 0.07 | 0.15 | 1.51 | 0.03 | 2.60 | 0.22 | 5.73 | 0.04 | 0.01 |

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

Lot: 9388506

## Tensile - Room Temperature (US)

|           |       | Ultimate (KSI) |      | Yield (KSI) |      | Elongation (%) |      | Report |
|-----------|-------|----------------|------|-------------|------|----------------|------|--------|
| Direction | Tests | Min            | Max  | Min         | Max  | Min            | Max  |        |
| LT        | 02    | 81.8           | 82.3 | 72.0        | 72.8 | 11.5           | 12.5 |        |



**Constellium**



**CERTIFIED TEST REPORT**  
Constellium Rolled Products  
Ravenswood, LLC

S  
H  
I  
P  
T  
O


A M CASTLE & COMPANY

4175 ROYAL DRIVE  
KENNESAW GA  
30144  
US

S  
O  
L  
D  
T  
O

A M CASTLE

1420 KENSINGTON ROAD, SUITE 220  
OAK BROOK IL  
60523  
US

|  |      |                         |                                 |                                  |                                    |                                 |   |                            |  |         |  |
|--|------|-------------------------|---------------------------------|----------------------------------|------------------------------------|---------------------------------|---|----------------------------|--|---------|--|
| A M CASTLE                                       |      | 110539776               |                                 | 4075                             |                                    | INCLUSION                       |   | Serial:20170527-0110539776 |  | Pg 3of3 |  |
| CUSTOMER PURCHASE ORDER NO. & ITEM<br>420822     |      |                         |                                 |                                  |                                    | Constellium ORDER NO.<br>204509 |   |                            |  |         |  |
| ALLOY<br>7075                                    | CLAD | TEMPER<br>T651          | GAUGE<br>2.00000 in<br>50.80 mm | WIDTH<br>48.50000 in<br>1,232 mm | LENGTH<br>144.50000 in<br>3,670 mm |                                 | <b>CERTIFICATION</b><br>"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."<br>Constellium Rolled Products Ravenswood, LLC<br>859 Century Road<br>P.O. BOX 68<br>RAVENSWOOD, WV 26164 USA<br><br><br>Steve Good - Laboratory Manager |                            |  |         |  |
| ITEM ORDERED<br>SPEC PLATE, SAWED<br>MILL FINISH |      |                         |                                 |                                  |                                    |                                 |   |                            |  |         |  |
| CUSTOMER SPECIFICATION<br>AMS QQ-A-250/12A       |      |                         |                                 |                                  |                                    |                                 |   |                            |  |         |  |
| PART NUMBER<br>750616                            |      | B/L NUMBER<br>81380     |                                 | DATE SHIPPED<br>05/29/2017       |                                    |                                 |   |                            |  |         |  |
| WT. SHIPPED<br>7175.000 LB                       |      | NO. OF PIECES<br>000005 |                                 | GOVT. CONTRACT NO.               |                                    |                                 |   |                            |  |         |  |

**Tensile - Room Temperature (SI)**

|           |       | Ultimate (N/MM2) |     | Yield (N/MM2) |     | Elongation (%) |      | Report |  |
|-----------|-------|------------------|-----|---------------|-----|----------------|------|--------|--|
| Direction | Tests | Min              | Max | Min           | Max | Min            | Max  |        |  |
| LT        | 02    | 564              | 567 | 496           | 502 | 11.5           | 12.5 |        |  |

**Chemistry (Actual)**

|      | SI   | FE   | CU   | MN   | MG   | CR   | ZN   | TI   | ZR   |
|------|------|------|------|------|------|------|------|------|------|
| Core | 0.07 | 0.15 | 1.51 | 0.03 | 2.60 | 0.22 | 5.73 | 0.04 | 0.01 |

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

QUALITY TEXTS:  
AMC CA-15403A R 7

THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CHEMISTRY BY OES: ARKSPARK

CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT

WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399

WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557

DUNS Number: 090570149; CAGE Code: 1YW19

Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product.

"END OF CERTIFICATION"

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T6 S2.00X6.0

PO / BATCH NO.: 36986/M138287

DATE: 17/08/25

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12  
 QUANTITY INSPECTED: 12  
 QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 2.00  
 THICKNESS RECEIVED: 2.00  
 SHEET SIZE ORDERED: \_\_\_\_\_  
 SHEET SIZE RECEIVED: \_\_\_\_\_

| DESCRIPTION  | NCR<br>(Check<br>Y/N)   | COMMENTS                 |
|--|---|--------------------------|
| SURFACE DAMAGE                                     | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |
| CORRECT FINISH                                     | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |
| CORROSION  | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |
| CORRECT GRAIN DIRECTION                            | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |
| CORRECT MATERIAL PER M-DRAWING                     | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> | <u>A45-QQ-A-250/10</u>   |
| CORRECT THICKNESS                                  | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |
| PHOTO REQUIRED                                     | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |
| CORRECT REF # TO LINK CERT                         | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> | <u>HEATH 9388505</u>     |
| CORRECT MATERIAL IDENTIFICATION                    | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> | <u>M7075T6 S2.00X6.0</u> |
| CORRECT M# ON THE MATERIAL                         | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> | <u>M138287</u>           |
| DOES THIS MATERIAL REQUIRE<br>ENGINEERING SIGN OFF | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |
| DOES THIS REQUIRE AN<br>EXTRUSION REPORT           | Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> |                          |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.<br>RECORD RESULTS BELOW |     |     |       |       |  |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL<br>SIZE OF TEST SAMPLE<br>HARDNESS / DUROMETER READING            | HRC | HRB | DUR A | DUR D |  |
|  |     |     |       |       |  |
|  |     |     |       |       |  |

testers located in the Quality Office

| QC 18 INSPECTION        |                      | ENGINEERING SIGNOFF (if required) |  |
|-------------------------|----------------------|-----------------------------------|--|
| INSPECTED BY: <u>ML</u> | SIGNED OFF BY: _____ |                                   |  |
| DATE: <u>17/08/25</u>   | DATE: _____          |                                   |  |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

**SPECIFICATION CONTROL DRAWING**

△ PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE  
SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A-250/12  
OR AMS 4045  
OR ASTM B209

OR

△ PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

△ SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13  
OR AMS 4048 / 4049  
OR ASTM B209

△ PART NUMBER: M7075T6S | TTT | X | W.WWW |  
| THK | | WIDTH |

△ WHERE "TTT" = THICKNESS (IN INCHES)  
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

△ EG. 0.063" THICK SHEET = M7075T6S.063  
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500  
△ TTT BY 4FT BY 10FT FOR SHEET

M7075T6S 52.00X6.00

RELEASED  
2017 JUN 19  
ECN 17-574

APPROVED

|   |   |    |          |
|---|---|----|----------|
| B   | ADD REF TO PLATE TEST TEMPER AMS 4048,<br>OPTIONAL WIDTH DIM (CARB-148) | CP | 17.05.05 |
| A   | NEW ISSUE   | RF | 10.11.08 |
| REV   | DESCRIPTION   | BY | DATE     |
| DESIGN  | RF  |    |          |
| DRAWN   | CP  |    |          |
| CHECKED   | ML  |    |          |
| MFG. APPR.  | LL  |    |          |
| APPROVED  | WM  |    |          |
| DE APPR.  | DS-#  |    |          |
| DATE  | 17.05.05  |    |          |
| DRAWING NO. DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |   |    |          |
| TITLE M7075T6S  |   |    |          |
| SHEET 1 OF 1  |   |    |          |
| REV. B  |   |    |          |
| SCALE NTS   |   |    |          |
| 7075-T6 SHEET/PLATE SPEC                                      |   |    |          |

THIS DOCUMENT IS PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PURPOSES FOR WHICH IT WAS ORIGINALLY INTENDED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

Purchase Order ID PO36986

Purchase Order Date 7/11/2017  
PO Print Date 7/11/2017

Page Number 1 of 5

VU-MET002

Order From:

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

Ship To: DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

EMAILED  
JUL 12 2017

Contact Name  
Vendor Phone

Ship To Contact  
Ship To Phone  
Ship Via:  
Ship Acct:

FedEx PL collect

Buyer Chantal Lavoie  
Customer POID  
Customer Tax # 10127-2607  
Terms Net 30  
Currency USD  
FOB Destination-Collect

| Line Nbr  | Reference<br>Vendor Part Number<br>Line Comments<br>Delivery Comments | Description/<br>Mfg ID      | Req Date/<br>Taxable<br>CD<br>Promise Date | Req Qty/<br>Unit of<br>Measure | PO Unit Price | Extended<br>Price |
|---|---|-----------------------------|--|--------------------------------|---------------|-------------------|
| 1   | D6101-0071P   | 7075-17351<br>8.25X7.75X2.5 | 7/28/2017<br>Yes<br>7/28/2017              | 20.00<br>Each                  | \$56.11       | \$1,122.20        |
| AS PER DWG D6101 REV B<br>B164013<br>MATERIAL 7075-17351 (QQ-A-250/12)<br>SIZE 7.750" X 8.250" X 2.50" THICK<br>GRAIN DIRECTION ALONG 7.750" LENGTH<br>TOLERANCE AS PER QUOTE +.030"/-.000" |   |                             |  |                                |               |                   |
| SEP 7-8-17  |   |                             |  |                                |               |                   |
| 3   | D6102-013P  | 6061-T6 7.0X6.5X2.0         | 7/28/2017<br>Yes<br>7/28/2017              | 60.00<br>Each                  | \$31.65       | \$1,899.00        |
| AS PER DWG D6102 REV D<br>B164014<br>SIZE 7.000" X 6.500" X 2.00" THICK<br>GRAIN DIRECTION ALONG 6.500"<br>MATERIAL 6061-T6/16511 QQ-A-250/11<br>TOLERANCE AS PER QUOTE +.030"/-.000"       |   |                             |  |                                |               |                   |
| SEP 7-26  |   |                             |  |                                |               |                   |
| Line Total:   |   |                             |  |                                |               | \$1,122.20        |

Note:

7/11/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

PURCHASE ORDER  
Purchase Order ID PO36986

Purchase Order Date 7/11/2017  
PO Print Date 7/11/2017

Page Number 2 of 5

VU-MET002

Order From:

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

Ship To: DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

FedEx PI collect

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

Line Total:

\$1,899.00

4

D6104-0071P

17-4 SS Roundbar 4.50"Od

7/28/2017

Yes

7/28/2017

10.00  
Each

\$68.53

\$685.32

AS PER DWG D6104 REV B  
B164015  
MATERIAL 17-4 PH AS PER AMS 4643 OR AISI 630  
SIZE 4.50" X 5.10" LONG

Line Total:

\$685.32

5

M7075T6S1 250X10.000

7075-T6S Sheet 1.250"  
THICK x 10.000" WIDE

7/28/2017 FN

Yes

7/28/2017

12.00

\$76.40

\$916.00

MAT'L 7075-T6/T62 ALUMINUM SHEET  
SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209

MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET  
SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

Line Total:

\$916.00

Note:

7/11/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

PURCHASE  
Purchase Order ID PO36986

Purchase Order Date 7/11/2017  
PO Print Date 7/11/2017

Page Number 3 of 5

Order From:

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W 0E9  
CANADA

VU-MET002

Ship To: DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

FedEx PL collect

6 M707516S1 250X12 000

7075-T6S Sheet 1.250"  
THICK x 12.000" WIDE

7/28/2017 FN

Yes

7/28/2017

12.00

\$86.42

\$1,037.00

MAT'L 7075-16/162 ALUMINUM SHEET  
SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209

MAT'L 7075-16/162 ALCLAD ALUMINUM SHEET  
SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

8017-8-1

Line Total:

\$1,037.00

7 M707516S2 000X6 000

7075-T6S Sheet 2.000"  
THICK x 6.000" WIDE

7/28/2017 FN

Yes

7/28/2017

12.00

\$71.35

\$856.20

MAT'L 7075-16/162 ALUMINUM SHEET  
SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209

MAT'L 7075-16/162 ALCLAD ALUMINUM SHEET  
SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

AUG 14 2017

DAS  
6  
3-89

Line Total:

\$856.20

Note:

7/11/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

PURCHASE  
Purchase Order ID PO36986

Purchase Order Date 7/11/2017  
PO Print Date 7/11/2017

Page Number 4 of 5

Order From:

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W 0E9  
CANADA

VU-MET002

Ship To: DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone

Ship To Contact  
Ship To Phone  
Ship Via:  
Ship Acct:

FedEx PI collect

Buyer Chantal Lavoie  
Customer POID  
Customer Tax # 10127-2607  
Terms Net 30  
Currency USD  
FOB Destination-Collect

8 M707516S3 000X2.750 ✓ 7075-16S Sheet 3.000" thick x 2.750" wide ✓ 7/28/2017 Yes 7/28/2017

12.00 ✓ \$52.42 \$629.0

Line Total: \$629.0

9 M707516S1 750X4.500 ✓ M707516 SHEET 1.750 THICK X 4.500 WIDE ✓ 7/28/2017 FN Yes 7/28/2017

12.00 ✓ \$48.90 \$586.8

MAT'L 7075-16/162 ALUMINUM SHEET  
SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209  
MAT'L 7075-16/162 ALCLAD ALUMINUM SHEET  
SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

SPN-89

Line Total: \$586.8

Note:

7/11/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

PURCHASE -  
Purchase Order ID PO36986

Purchase Order Date 7/11/2017  
PO Print Date 7/11/2017

Page Number 5 of 5

Order From:

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To: DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

FedEx PI collect

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

10 M707516S3.000X4.000

7075-16S Sheet 3.000"  
thick x 4.000" wide

7/28/2017 FN

Yes

7/28/2017

12.00

\$94.85

\$1,138.20

7075-16 BAR ACCEPTABLE

MAT'L 7075-16/162 ALUMINUM SHEET  
SPEC'S QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209

MAT'L 7075-16/162 ALCLAD ALUMINUM SHEET  
SPEC'S QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

Line Total:

\$1,138.20

11 71401-45

Procurement Quality  
Clauses

7/28/2017

No

7/28/2017

1.00

\$0.00

\$0.00

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 data notification by supplier

A043 retention of quality documents

Line Total:

\$0.0

PO Total:

\$8,870.5

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 7/11/2017